

# 5elen018w\_tutorial4\_2025\_code

October 30, 2024

## 5ELEN018W - Tutorial 4 2025 Solutions

```
[7]: import math
import numpy as np
from scipy import linalg, optimize
import matplotlib.pyplot as plt
from spatialmath import *
from spatialmath.base import *
from spatialmath.base import sym
from spatialgeometry import *
from roboticstoolbox import *
```

### Exercise 1

```
[16]: from math import *

q1 = radians(90)
tr1 = np.array([[cos(q1), -sin(q1), 0, 0],
                [sin(q1), cos(q1), 0, 0],
                [0, 0, 1, 0],
                [0, 0, 0, 1]])
tr2 = np.array([[cos(q1), 0, sin(q1), 0],
                [0, 1, 0, 0],
                [-sin(q1), 0, cos(q1), 0],
                [0, 0, 0, 1]])
tr3 = np.array([[1, 0, 0, 4],
                [0, 1, 0, -3],
                [0, 0, 1, 7],
                [0, 0, 0, 1]])
P = np.array([7, 3, 1, 1])

tr3@tr2@tr1@P
```

```
[16]: array([ 5.,  4., 10.,  1.])
```

## Exercise 2

```
[4]: from sympy import *

theta, r, d, alpha = symbols('theta r d alpha')

A = [[cos(theta), -sin(theta), 0, 0], [sin(theta), cos(theta), 0, 0], [0, 0, 1, 0], [0, 0, 0, 1]]
# convert to sympy matrix
A = Matrix(A)

B = [[1, 0, 0, 0], [0, 1, 0, 0], [0, 0, 1, d], [0, 0, 0, 1]]
B = Matrix(B)

C = [[1, 0, 0, r], [0, 1, 0, 0], [0, 0, 1, 0], [0, 0, 0, 1]]
C = Matrix(C)

D = [[1, 0, 0, 0], [0, cos(alpha), -sin(alpha), 0], [0, sin(alpha), cos(alpha), 0], [0, 0, 0, 1]]
D = Matrix(D)

res = simplify(A*B*C*D)
res
```

```
[4]: 
$$\begin{bmatrix} \cos(\theta) & -\sin(\theta)\cos(\alpha) & \sin(\alpha)\sin(\theta) & r\cos(\theta) \\ \sin(\theta) & \cos(\alpha)\cos(\theta) & -\sin(\alpha)\cos(\theta) & r\sin(\theta) \\ 0 & \sin(\alpha) & \cos(\alpha) & d \\ 0 & 0 & 0 & 1 \end{bmatrix}$$

```

### 0.1 Exercise 3

```
[17]: from sympy import *

theta1, r1, d1, alpha1 = symbols('theta1 r1 d1 alpha1')
theta2, r2, d2, alpha2 = symbols('theta2 r2 d2 alpha2')

# let's use the robotics toolbox in this exercise
t1 = trotz(theta1)
t2 = transl(0, 0, d1)
t3 = transl(r1, 0, 0)
t4 = trotx(alpha1)

# DH for joint 1
J1 = t1*t2*t3*t4

t5 = trotz(theta2)
t6 = transl(0, 0, d2)
t7 = transl(r2, 0, 0)
```

```
t8 = trotx(alpha2)

# DH for joint 2
J2 = t5@t6@t7@t8

# Overall DH
simplify(Matrix(J1@J2))
```

[17]:

$$\begin{bmatrix} -\sin(\theta_1)\sin(\theta_2)\cos(\alpha_1) + \cos(\theta_1)\cos(\theta_2) & \sin(\alpha_1)\sin(\alpha_2)\sin(\theta_1) - \sin(\theta_1)\cos(\alpha_1)\cos(\alpha_2)\cos(\theta_2) - \sin(\theta_2)\cos(\alpha_1)\cos(\theta_1) & \sin(\alpha_1)\sin(\alpha_2)\cos(\theta_1) - \sin(\theta_1)\sin(\theta_2)\cos(\alpha_2) + \cos(\alpha_1)\cos(\theta_1)\cos(\theta_2) & \sin(\alpha_1)\cos(\alpha_2)\cos(\theta_2) + \sin(\alpha_2)\cos(\alpha_1) \\ \sin(\theta_1)\cos(\theta_2) + \sin(\theta_2)\cos(\alpha_1)\cos(\theta_1) & -\sin(\alpha_1)\sin(\alpha_2)\cos(\theta_1) - \sin(\theta_1)\sin(\theta_2)\cos(\alpha_2) + \cos(\alpha_1)\cos(\theta_1)\cos(\theta_2) & \sin(\alpha_1)\cos(\alpha_2)\cos(\theta_2) + \sin(\alpha_2)\cos(\alpha_1) & 0 \\ \sin(\alpha_1)\sin(\theta_2) & 0 & 0 & 0 \end{bmatrix}$$

### Exercise 4

```
[55]: from sympy import *
from math import *

theta1, r1, theta2, theta3, d3 = symbols('theta1, r1, theta2, theta3, d3')

J1 = trotz(theta1)@transl(r1, 0, 0)

J2 = trotz(theta2 + math.pi/2)@trotx(math.pi/2)

J3 = trotz(theta3)@transl(0, 0, d3)

Matrix(simplify(J1@J2@J3))
```

[55]:

$$\begin{bmatrix} -3.74939945665464 \cdot 10^{-33} \sin(\theta_3) \sin(\theta_1 + \theta_2) - 1.0 \sin(\theta_1 + \theta_2) \cos(\theta_3) + 6.12323399573677 \cdot 10^{-17} \sin(\theta_1 + \theta_2) \cos(\theta_3) - 6.12323399573677 \cdot 10^{-17} (1.0 \sin(\theta_1 + \theta_2) \cos(\theta_3) - 1.0 \sin(\theta_3)) & 1.0 \sin(\theta_3) \\ 1.0 (6.12323399573677 \cdot 10^{-17} \sin(\theta_1 + \theta_2) + 1.0 \cos(\theta_1 + \theta_2)) \cos(\theta_3) - 6.12323399573677 \cdot 10^{-17} (1.0 \sin(\theta_1 + \theta_2) \cos(\theta_3) - 1.0 \sin(\theta_3)) & 0 \\ 1.0 \sin(\theta_3) & 0 \\ 0 & 0 \end{bmatrix}$$

### Exercise 5

```
[70]: def DH(theta, d, r, alpha):
    t1 = trotz(theta)
    t2 = transl(0, 0, d)
    t3 = transl(r, 0, 0)
    t4 = trotx(alpha)

    return t1@t2@t3@t4
```

### Exercise 6

```
[ ]: theta1, theta2, theta3, theta4, theta5, theta6, r2, r3, d3, d4 = \
    symbols('theta1, theta2, theta3, theta4, theta5, theta6, r2, r3, d3, d4')

table = [[theta1, 0, 0, 0],
```

```

    [theta2, 0, 0, -math.pi/2],
    [theta3, r2, d3, 0],
    [theta4, r3, d4, -math.pi/2],
    [theta5, 0, 0, math.pi/2],
    [theta6, 0, 0, -math.pi/2]]

total_dh = np.identity(4) # The identity array I is a square array with ones
    ↪ on the main diagonal.
for row in table:
    theta = row[0]
    d = row[1]
    r = row[2]
    alpha = row[3]

    total_dh = total_dh@DH(theta, d, r, alpha)

print(total_dh)

```